

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

Add a Command --300




Fig. 6




Fig. 7

	450		
Land	É Edit Parameter		
451	Command Node: command3		
452	No keyword (implied type)		
	Parameter Keyword:	(unnamed2)	
453	Parameter <u>Type</u> :	unsigned long 🔽 🔼 <u>E</u> dit	
454	☑ Sub Range:	Min: 0 Max: 4294967295	
455	Agray Parameter	Min: Max:	
456	Custom Handler Validator:		
457	Automatic convert to native type in handler		
458	Default Value:		
459	Access:	▶	
460	Set <u>R</u> apidMark:	adminEMailAddress 🔽	
461	Help Method: String:	F	
162	© Handler:		
463	Notes:	Cancel Help	
ļ			

Fig. 8




Fig. 9






Fig. 10

```
E@ Handler Custom Code
 ථාන රාජන පාට්
  extern RESTATUS
                                                                                            @løsc
  ND_CommandSNamdler(cli_env *pCliknv, parambist *pParams, sbyte *pAuxBuf)
      RUTATEAR
                                                                                            Emec)
                   status - OK;
      sbyte
                   *pValls
      parambeser *pParambeserl:
                                                                                             (E)OOTS
                   *pVal2 = DULL;
      *byte
      parambeser *pParambeser2;
                                                                                            52050<u>1</u>
      /* get required parameter */
      status - BCC_PB_RetrieveParam(pParams, NULL, aCommand3_NULL1, apParamDesc
      at ( OK != status )
           return(etatus);
      ) else pVall = (sbyte*)(pParasDescri**pValue);
      RCC_EXT_UniteSer(pfliTmv, kformandSHsqRaquiredUalus);
      RCC_EXT_DrineSerLine(pClilno, pVall);
      /* get optional paremeter */
      if (OK == DCC_DB_RecrievePerent(pPerent, EULL, aCommand3_NULL2, apparentes
           pVal2 * (sbyte*) (pParamDescr2->pValue);
          RCC_EXT_WriteStr(pCLiInv, kCommandSMsgOptionalValue);
RCC_EXT_WriteStrLimelpCLiInv, pVal2);
                                                                                 Elizace en demost a 200 elizaceor, prosa 6009-600
                                                                                      600
```


Fig. 11





720_

Fig. 14






Fig. 15